

\* =mandatory field)

- **Investigator:\***
    - **Name\*:** Dr. Christopher Sabine
    - **Organization:** NOAA/PMEL
    - **Address:**  
NOAA/PMEL  
7600 Sand Point Way NE  
Seattle Washington, 98115 USA  
**Phone:** 206-526-4809
    - **Email:** [chris.sabine@noaa.gov](mailto:chris.sabine@noaa.gov)
  - **Dataset\_Info:\***
    - Dataset\_ID\*: [KEO\\_145E\\_32N\\_Sep2007\\_Jul2008](#)
    - **Submission\_Dates:\***
      - Initial\_Submission: [20100914](#) (YYYYMMDD)
      - Revised\_Submission: (YYYYMMDD)
  - **Cruise\_Info:\***
    - **Experiment:**
      - Experiment\_Name\*:
      - **Cruise:( - )**
        - Cruise\_ID: (EXPOCODE)
        - Section: (Leg)
        - **Geographical\_Coverage:\***
          - Geographical\_Region:
          - **Bounds:**
            - Westernmost\_Longitude:  
Enter decimal fractions of degrees:  
or Degrees, Minutes, Seconds:
            - Easternmost\_Longitude:  
Enter decimal fractions of degrees: [+144.51](#) (+ = E, - = W)  
or Degrees, Minutes, Seconds:
            - Northernmost\_Latitude:  
Enter decimal fractions of degrees: [+32.30](#) (+ = E, - = W)
            - Southernmost\_Latitude:  
Enter decimal fractions of degrees:
      - **Temporal\_Coverage:**
        - Start\_Date: [20070926](#) (YYYYMMDD)
        - End\_Date: [20080808](#) (YYYYMMDD)
  - **Vessel:\*** [Mooring platform](#)
    - Vessel\_Name:
    - Vessel\_ID:
    - Country:
    - Vessel\_Owner:
- **Variables\_Info:\***
  - **Variable:**
    - Variable\_Name and Description\*:
- [xCO<sub>2</sub> SW \(wet\) \(umol/mol\) - Mole fraction of CO<sub>2</sub> in air in equilibrium with the seawater at sea surface temperature and measured humidity.](#)
- [CO<sub>2</sub> SW QF – Quality Flag for xCO<sub>2</sub> SW \(wet\).](#)
- [H<sub>2</sub>O SW \(mmol/mol\) - Mole fraction of H<sub>2</sub>O in air from equilibrator .](#)
- [xCO<sub>2</sub> Air \(wet\) \(umol/mol\) - Mole fraction of CO<sub>2</sub> in air from airblock, 4 feet above the sea surface at measured humidity.](#)
- [CO<sub>2</sub> Air QF – Quality Flag for xCO<sub>2</sub> Air \(wet\)](#)
- [H<sub>2</sub>O Air \(mmol/mol\) - Mole fraction of H<sub>2</sub>O in air from airblock, 4 feet above the sea surface.](#)

- Licor Atm Pressure (hPa) – Atmospheric pressure at the airblock, 4 feet above the sea surface
- Licor Temp (C) – Temperature of the Infrared Licor 820 in degrees Celsius
- % O<sub>2</sub> - The percent oxygen of the surface seawater divided by the percent oxygen of the atmosphere at 4 feet above the sea surface. Disclaimer: The oxygen measurement is made in the equilibrated air. We have found that the oxygen does not come to complete equilibrium so any rapid changes in oxygen do not get properly captured using this system. Therefore, we tend to use the oxygen data only as a qualitative sense of the biology. It is not a quantitative measure.
- SST (C) - Sea Surface Temperature collected by NOAA/PMEL/KEO. provide internally recorded SST data at 10 minute resolution. The sea surface temperature collected during the equilibration period is reported in this dataset. NOAA/PMEL/KEO advises to check the KEO site at the time of use for the most accurate data available.
- Salinity - Sea Surface Salinity collected by NOAA/PMEL/KEO. KEO records conductivity data at 10 minute intervals and then computes hourly averaged salinity during post-processing. The salinity reported during the equilibration period is reported in this dataset. NOAA/PMEL/KEO advises to check the KEO site at the time of use for the most accurate data available.
- xCO<sub>2</sub> SW (dry) (umol/mol) – Mole fraction of CO<sub>2</sub> in air in equilibrium with the seawater at sea surface temperature (dry air).
- xCO<sub>2</sub> Air (dry) (umol/mol) – Mole fraction of CO<sub>2</sub> in air at the airblock, 4 feet above the sea surface (dry air).
- fCO<sub>2</sub> SW (sat) uatm – Fugacity of CO<sub>2</sub> in air in equilibrium with the seawater at sea surface temperature (100% humidity). Since the measurements are taken at the sea surface, warming calculations are not necessary.
- fCO<sub>2</sub> Air (sat) uatm – Fugacity of CO<sub>2</sub> in air at the airblock, 4 feet above the sea surface (100% humidity).
- dfCO<sub>2</sub> – Difference of the fugacity of the CO<sub>2</sub> in seawater and the fugacity of the CO<sub>2</sub> in air (fCO<sub>2</sub> SW - fCO<sub>2</sub> Air).

- **Method\_Description:**\*

- **Equilibrator\_Design:**

- Equilibrator\_Type: (show pick list) Bubble Equilibrator
    - Equilibrator\_Volume: (L) N/A
    - Water\_Flow\_Rate: (L/min) N/A
    - Headspace\_Gas\_Flow\_Rate: (L/min) ~600 cc/min
    - Vented: (show pick list) Yes

- Measurement\_Method: Absolute, non-dispersive infrared (NDIR) gas analyzer

- Manufacturer\_of\_Calibration\_Gas: NOAA Earth System Research Laboratory (ESRL)

- **CO<sub>2</sub>\_Sensors:**

- **CO<sub>2</sub>\_Sensor:**

- Manufacturer: Licor
      - Model: Environmental\_Control: LI-820
      - Resolution: 0.01 ppm
      - Uncertainty: < 2.5% of reading with 14 cm bench (stated)  
<1.5 ppm determined in lab
    - CO<sub>2</sub>\_Sensor\_Calibration: (For each calibration gas, document traceability to an internationally recognized scale, including date and place of last calibration. Include uncertainty of assigned value.)

At the beginning of each sample, the instrument self-calibrates using a zero and high standard. The zero standard is generated by cycling a small amount of air through a soda lime chamber. The high standard is from a cylinder of calibrated standard reference gas, 433.61 umol/mol, from ESRL. ESRL

standards are traceable to WMO x93 scale with a stated reproducibility of 0.06 micromole/mole.

- **Other\_Sensors:**
  - Manufacturer: Oxygen Sensor
  - Model: Maxtec
  - Resolution: Max-250
  - Uncertainty: 0.01 %  
± 2.0% Full Scale over operating temperature range  
± 1.0% Full Scale @ constant temperature and pressure
  - Calibration: (For each sensor of pressure, temperature, and salinity, document traceability to an internationally recognized scale, including date and place of last calibration.)  
Factory calibrated before purchase. Recalibrated to sea level atmospheric air every 7 days.
- **Other\_Sensors:**
  - Manufacturer: Humidity Sensor
  - Model: Sensirion
  - Resolution: SHT71
  - Uncertainty: 0.01 %  
Measurement range: 0-100% RH  
Absolute RH accuracy: +/- 3% RH (20-80% RH)  
Repeatability RH: +/- 0.1% RH
  - Calibration: (For each sensor of pressure, temperature, and salinity, document traceability to an internationally recognized scale, including date and place of last calibration.)  
Factory calibrated before purchase.
- Method\_References: (Publication(s) describing method)

Sabine, C. (2005): High-resolution ocean and atmosphere pCO<sub>2</sub> time-series measurements. The State of the Ocean and the Ocean Observing System for Climate, Annual Report, Fiscal Year 2004, NOAA/OGP/Office of Climate Observation, Section 3.32a, 246–253.

- Additional Information

- All measurements are at sea surface temperature and atmospheric pressure.
- During the equilibration cycle, a closed loop of air equilibrates with seawater for 10 minutes. Once the equilibration period is complete, the pump stops and the system opens to the atmosphere allowing the pressure to equilibrate with atmospheric pressure. Measurements are recorded for 30 seconds at 2 hertz and then averaged.
- During the air cycle, fresh air is pumped through the detector for 1 minute. Once the pump stops, the system opens to the atmosphere allowing the pressure to equilibrate with atmospheric pressure. Measurements are recorded for 30 seconds at 2 hertz and then averaged.
- The gas streams for both the air cycle and equilibrator cycle are partially dried before entering the detector. The values listed as wet xCO<sub>2</sub> generally have relative humidity levels ranging from 40 to 80 percent. The humidity levels increase over the course of a deployment.
- Sampling occurs every 3 hours. The infrared detector is calibrated at the beginning of every sampling period. Averaged data and standard deviations for each measurement are transmitted back daily.
- To calculate the dry measurements, the water mole fraction in the Licor detector must be known. A relative humidity sensor is located immediately downstream of the detector.

- As part of the QC process, each data set is compared with the Marine Boundary Layer (MBL) data from GlobalView-CO<sub>2</sub>. The data from this deployment, September 2007 to July 2008, were  $-0.35 \pm 2.74$  umol/mol on average of the MBL data and therefore no correction was applied.

GLOBALVIEW-CO<sub>2</sub>: Cooperative Atmospheric Data Integration Project - Carbon Dioxide. CD-ROM, NOAA ESRL, Boulder, Colorado [Also available on Internet via anonymous FTP to ftp.cmdl.noaa.gov, Path: ccg/co2/GLOBALVIEW], 2010

-During the QC process, an adjustment to the Licor pressure is also made based on each sensor's bias to barometric pressure as measured in the lab. For this system, the Licor pressure was adjusted by -0.1 kPa.

- No data = -9.999 or -999

- Data\_set\_References: (Publication(s) describing data set) None
- Citation: (How to cite this data set) Sabine, C. 2008. High-resolution ocean and atmosphere pCO<sub>2</sub> time-series measurements from mooring KEO.
- Data\_Set\_Link:
  - URL\*: [http://www.pmel.noaa.gov/co2/moorings/keo/keo\\_main.htm](http://www.pmel.noaa.gov/co2/moorings/keo/keo_main.htm)
  - Label\*: **PMEL CO2 Group - KEO mooring**
  - Link\_Note: (Optional instructions or remarks)(m s t)

Quality Flags definitions:

- 2 = Acceptable measurement;
- 3 = Questionable measurement;
- 4 = Bad measurement
- 5 = Not reported;
- 9 = Sample not drawn for this measurement from this bottle.

#### Quality Flag Log for this dataset.

Date	Measurement	Value (Dry)	Flag	Comments
10/11/2007 3:16	xCO <sub>2</sub> _SW	383.6941998	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/14/2007 6:16	xCO <sub>2</sub> _SW	401.1136098	4	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/17/2007 3:16	xCO <sub>2</sub> _SW	390.3271406	4	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/26/2007 12:16	xCO <sub>2</sub> _SW	394.0591308	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/26/2007 15:16	xCO <sub>2</sub> _SW	377.7868196	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/26/2007 18:16	xCO <sub>2</sub> _SW	393.1074026	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/26/2007 21:16	xCO <sub>2</sub> _SW	375.7560633	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/27/2007 0:16	xCO <sub>2</sub> _SW	383.6433706	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure
10/27/2007 3:16	xCO <sub>2</sub> _SW	385.1802974	3	likely bad CO <sub>2</sub> sw due to change in equil pump pressure

10/27/2007 6:16 pressure	xCO2_SW	386.6201601	3	likely bad CO2 sw due to change in equil pump
10/27/2007 9:16 pressure	xCO2_SW	402.9931435	3	likely bad CO2 sw due to change in equil pump
10/27/2007 12:16 pressure	xCO2_SW	392.9396448	3	likely bad CO2 sw due to change in equil pump
10/27/2007 15:16 pressure	xCO2_SW	374.7405007	3	likely bad CO2 sw due to change in equil pump
10/27/2007 18:16 pressure	xCO2_SW	380.2424506	3	likely bad CO2 sw due to change in equil pump
10/27/2007 21:16 pressure	xCO2_SW	376.3457994	3	likely bad CO2 sw due to change in equil pump
10/30/2007 18:16 span calibration was off	xCO2_SW	364.0371712	3	CO2 data submitted was adjusted by + 5 ppm b/c as predicted by change in Licor temperature
10/30/2007 18:16 span calibration was off	xCO2_Air	386.1622824	3	CO2 data submitted was adjusted by + 5 ppm b/c as predicted by change in Licor temperature
10/31/2007 21:16 span calibration was off	xCO2_SW	366.8755766	3	CO2 data submitted was adjusted by - 4 ppm b/c as predicted by change in Licor temperature
10/31/2007 21:16 span calibration was off	xCO2_Air	386.0866489	3	CO2 data submitted was adjusted by - 4 ppm b/c as predicted by change in Licor temperature
11/11/2007 12:16 span calibration was off	xCO2_SW	362.9649838	3	CO2 data submitted was adjusted by + 5 ppm b/c as predicted by change in Licor temperature
11/11/2007 12:16 span calibration was off	xCO2_Air	387.6169768	3	CO2 data submitted was adjusted by + 5 ppm b/c as predicted by change in Licor temperature
11/12/2007 18:16 pressure	xCO2_SW	365.5307284	3	likely bad CO2 sw due to change in equil pump
11/12/2007 21:16 pressure	xCO2_SW	367.3646666	3	likely bad CO2 sw due to change in equil pump
11/13/2007 6:16 pressure	xCO2_SW	363.4491341	3	likely bad CO2 sw due to change in equil pump
11/16/2007 9:16 pressure	xCO2_SW	366.0139193	3	likely bad CO2 sw due to change in equil pump
11/16/2007 12:16 pressure	xCO2_SW	363.6043932	3	likely bad CO2 sw due to change in equil pump
11/17/2007 6:16 pressure	xCO2_SW	368.2032374	3	likely bad CO2 sw due to change in equil pump
11/18/2007 9:16 pressure	xCO2_SW	382.7970903	3	likely bad CO2 sw due to change in equil pump
11/18/2007 12:16 pressure	xCO2_SW	380.6957502	3	likely bad CO2 sw due to change in equil pump
11/18/2007 15:16 pressure	xCO2_SW	367.2727068	3	likely bad CO2 sw due to change in equil pump
11/18/2007 18:16 pressure	xCO2_SW	369.3877423	3	likely bad CO2 sw due to change in equil pump
11/19/2007 15:16 pressure	xCO2_SW	359.088129	3	likely bad CO2 sw due to change in equil pump
11/19/2007 18:16 pressure	xCO2_SW	361.0713579	3	likely bad CO2 sw due to change in equil pump
11/21/2007 15:16 pressure	xCO2_SW	377.2745847	4	likely bad CO2 sw due to change in equil pump
11/21/2007 18:16 pressure	xCO2_SW	361.8984787	3	likely bad CO2 sw due to change in equil pump
11/21/2007 21:16 pressure	xCO2_SW	367.6834738	3	likely bad CO2 sw due to change in equil pump
11/28/2007 21:16 pressure	xCO2_SW	363.1861988	3	likely bad CO2 sw due to change in equil pump
11/29/2007 6:16 pressure	xCO2_SW	369.3311785	3	likely bad CO2 sw due to change in equil pump

11/29/2007 9:16 pressure	xCO2_SW	359.7636955	3	likely bad CO2 sw due to change in equil pump
11/29/2007 18:16 pressure	xCO2_SW	365.9315852	3	likely bad CO2 sw due to change in equil pump
12/23/2007 0:16 pressure	xCO2_SW	348.8940708	4	likely bad CO2 sw due to change in equil pump
12/29/2007 12:16 pressure	xCO2_SW	375.06097	4	likely bad CO2 sw due to change in equil pump
12/30/2007 6:16 pressure	xCO2_SW	390.4974906	4	likely bad CO2 sw due to change in equil pump
12/30/2007 15:16 pressure	xCO2_SW	366.7571731	4	likely bad CO2 sw due to change in equil pump
1/7/2008 18:16	xCO2_SW	364.6670263	4	likely bad CO2 sw due to change in equil pump pressure
1/7/2008 21:16	xCO2_SW	348.7732042	3	likely bad CO2 sw due to change in equil pump pressure
1/21/2008 6:16	xCO2_SW	347.3942769	4	likely bad CO2 sw due to change in equil pump pressure
2/3/2008 9:16	xCO2_SW	388.9183767	4	likely bad CO2 sw due to change in equil pump pressure
2/6/2008 18:16	xCO2_SW	361.8085224	4	likely bad CO2 sw due to change in equil pump pressure
2/9/2008 21:16	xCO2_SW	352.6392616	3	likely bad CO2 sw due to change in equil pump pressure
2/12/2008 15:16 pressure	xCO2_SW	351.5532551	3	likely bad CO2 sw due to change in equil pump
2/12/2008 18:16 pressure	xCO2_SW	356.6460711	3	likely bad CO2 sw due to change in equil pump
2/20/2008 18:16 pressure	xCO2_SW	351.4094109	3	likely bad CO2 sw due to change in equil pump
2/20/2008 21:16 pressure	xCO2_SW	347.2536029	3	likely bad CO2 sw due to change in equil pump
2/21/2008 0:16	xCO2_SW	345.1733738	3	likely bad CO2 sw due to change in equil pump pressure
2/22/2008 12:16 pressure	xCO2_SW	348.4269088	3	likely bad CO2 sw due to change in equil pump
2/22/2008 15:16 pressure	xCO2_SW	353.4057297	3	likely bad CO2 sw due to change in equil pump
2/22/2008 18:16 pressure	xCO2_SW	355.2165003	3	likely bad CO2 sw due to change in equil pump
2/22/2008 21:16 pressure	xCO2_SW	354.8949098	3	likely bad CO2 sw due to change in equil pump
2/23/2008 0:16	xCO2_SW	365.4399863	3	likely bad CO2 sw due to change in equil pump pressure
2/23/2008 3:16	xCO2_SW	365.7531347	3	likely bad CO2 sw due to change in equil pump pressure
2/23/2008 12:16 pressure	xCO2_SW	358.2098504	3	likely bad CO2 sw due to change in equil pump
2/23/2008 18:16 pressure	xCO2_SW	374.9895693	3	likely bad CO2 sw due to change in equil pump
2/23/2008 21:16 pressure	xCO2_SW	364.718166	3	likely bad CO2 sw due to change in equil pump
2/24/2008 0:16	xCO2_SW	368.5210913	3	likely bad CO2 sw due to change in equil pump pressure
2/24/2008 3:16	xCO2_SW	373.0038205	3	likely bad CO2 sw due to change in equil pump pressure
2/24/2008 6:16	xCO2_SW	366.5026443	3	likely bad CO2 sw due to change in equil pump pressure
2/24/2008 15:16 pressure	xCO2_SW	354.0591507	3	likely bad CO2 sw due to change in equil pump
2/25/2008 6:16	xCO2_SW	348.3589405	3	likely bad CO2 sw due to change in equil pump pressure
2/27/2008 0:16	xCO2_SW	357.0241274	3	likely bad CO2 sw due to change in equil pump pressure
2/27/2008 9:16	xCO2_SW	350.5554075	3	likely bad CO2 sw due to change in equil pump pressure
2/27/2008 12:16 pressure	xCO2_SW	352.8671196	3	likely bad CO2 sw due to change in equil pump
2/27/2008 15:16 pressure	xCO2_SW	349.416637	3	likely bad CO2 sw due to change in equil pump
2/27/2008 18:16 pressure	xCO2_SW	349.8637649	3	likely bad CO2 sw due to change in equil pump
3/7/2008 0:16	xCO2_SW	351.9281344	3	likely bad CO2 sw due to change in equil pump pressure

3/7/2008 3:16	xCO2_SW	360.3290464	3	likely bad CO2 sw due to change in equil pump pressure
3/9/2008 0:16	xCO2_SW	362.1435057	3	likely bad CO2 sw due to change in equil pump pressure
3/9/2008 6:16	xCO2_SW	339.0926608	3	likely bad CO2 sw due to change in equil pump pressure
3/9/2008 9:16	xCO2_SW	335.0846176	3	likely bad CO2 sw due to change in equil pump pressure
3/9/2008 12:16	xCO2_SW	320.0698208	3	likely bad CO2 sw due to change in equil pump pressure
3/9/2008 15:16	xCO2_SW	330.4918354	3	likely bad CO2 sw due to change in equil pump pressure
3/9/2008 18:16	xCO2_SW	337.5241805	3	likely bad CO2 sw due to change in equil pump pressure
3/10/2008 6:16	xCO2_SW	355.1381883	3	likely bad CO2 sw due to change in equil pump pressure
3/10/2008 9:16	xCO2_SW	357.3843667	3	likely bad CO2 sw due to change in equil pump pressure
3/10/2008 12:16	xCO2_SW	358.8841423	3	likely bad CO2 sw due to change in equil pump pressure
3/10/2008 15:16	xCO2_SW	352.8556395	3	likely bad CO2 sw due to change in equil pump pressure
3/10/2008 18:16	xCO2_SW	350.1603225	3	likely bad CO2 sw due to change in equil pump pressure
3/19/2008 12:16	xCO2_SW	330.0301688	3	CO2 data submitted was adjusted by + 2 ppm b/c span calibration was off as predicted by change in Licor temperature
3/19/2008 12:16	xCO2_Air	395.3126142	3	CO2 data submitted was adjusted by + 2 ppm b/c span calibration was off as predicted by change in Licor temperature
3/20/2008 21:16	xCO2_SW	355.102038	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 0:16	xCO2_SW	353.5029368	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 3:16	xCO2_SW	350.9018086	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 6:16	xCO2_SW	352.7661623	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 9:16	xCO2_SW	344.766479	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 12:16	xCO2_SW	353.7862059	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 15:16	xCO2_SW	361.7390441	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 18:16	xCO2_SW	345.3816354	3	likely bad CO2 sw due to change in equil pump pressure
3/21/2008 21:16	xCO2_SW	346.7746952	3	likely bad CO2 sw due to change in equil pump pressure
3/22/2008 0:16	xCO2_SW	363.7427872	3	likely bad CO2 sw due to change in equil pump pressure
3/23/2008 9:16	xCO2_SW	333.1645496	3	CO2 data submitted was adjusted by + 2 ppm b/c span calibration was off as predicted by change in Licor temperature
3/23/2008 9:16	xCO2_Air	392.961399	3	CO2 data submitted was adjusted by + 2 ppm b/c span calibration was off as predicted by change in Licor temperature
3/27/2008 12:16	xCO2_SW	355.0519618	3	likely bad CO2 sw due to change in equil pump pressure
3/27/2008 15:16	xCO2_SW	352.4071338	3	likely bad CO2 sw due to change in equil pump pressure
3/27/2008 18:16	xCO2_SW	353.8563184	3	likely bad CO2 sw due to change in equil pump pressure
3/27/2008 21:16	xCO2_SW	360.8209212	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 0:16	xCO2_SW	359.5907566	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 3:16	xCO2_SW	357.7671756	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 6:16	xCO2_SW	352.9882967	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 9:16	xCO2_SW	363.1758266	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 12:16	xCO2_SW	360.5585614	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 15:16	xCO2_SW	363.5397033	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 18:16	xCO2_SW	358.1643376	3	likely bad CO2 sw due to change in equil pump pressure
3/28/2008 21:16	xCO2_SW	354.9382714	3	likely bad CO2 sw due to change in equil pump pressure



3/29/2008 0:16	xCO2_SW	350.5716296	3	likely bad CO2 sw due to change in equil pump pressure
3/29/2008 3:16	xCO2_SW	352.0033618	3	likely bad CO2 sw due to change in equil pump pressure
3/29/2008 6:16	xCO2_SW	355.8644219	3	likely bad CO2 sw due to change in equil pump pressure
3/31/2008 9:16	xCO2_SW	373.5933948	3	likely bad CO2 sw due to change in equil pump pressure
3/31/2008 12:16	xCO2_SW	357.0325321	3	likely bad CO2 sw due to change in equil pump pressure
3/31/2008 15:16	xCO2_SW	354.0326522	3	likely bad CO2 sw due to change in equil pump pressure
3/31/2008 18:16	xCO2_SW	349.9583636	3	likely bad CO2 sw due to change in equil pump pressure
3/31/2008 21:16	xCO2_SW	361.476851	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 0:16	xCO2_SW	361.1692518	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 3:16	xCO2_SW	361.3364712	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 6:16	xCO2_SW	364.0870165	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 9:16	xCO2_SW	369.5593796	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 12:16	xCO2_SW	361.0136807	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 15:16	xCO2_SW	354.5912701	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 18:16	xCO2_SW	358.4659607	3	likely bad CO2 sw due to change in equil pump pressure
4/1/2008 21:16	xCO2_SW	354.2756817	3	likely bad CO2 sw due to change in equil pump pressure
4/3/2008 12:16	xCO2_SW	366.0465924	3	likely bad CO2 sw due to change in equil pump pressure
5/13/2008 0:16	xCO2_SW	383.9487253	4	likely bad CO2 sw due to change in equil pump pressure
5/27/2008 21:16	xCO2_Air	391.3381514	3	CO2 data submitted was adjusted by + 4 ppm b/c span calibration was off as predicted by change in Licor temperature
5/27/2008 21:16	xCO2_SW	351.9862596	3	CO2 data submitted was adjusted by + 4 ppm b/c span calibration was off as predicted by change in Licor temperature
5/31/2008 3:16	xCO2_SW	382.3389152	4	likely bad CO2 sw due to change in equil pump pressure
6/3/2008 0:16	xCO2_SW	366.3521126	3	likely bad CO2 sw due to change in equil pump pressure
6/3/2008 3:16	xCO2_SW	369.6712223	3	likely bad CO2 sw due to change in equil pump pressure
6/3/2008 6:16	xCO2_SW	377.9909815	3	likely bad CO2 sw due to change in equil pump pressure
6/3/2008 9:16	xCO2_SW	361.9102083	3	likely bad CO2 sw due to change in equil pump pressure
6/3/2008 12:16	xCO2_SW	362.9867549	3	likely bad CO2 sw due to change in equil pump pressure
6/4/2008 3:16	xCO2_SW	383.3269025	3	likely bad CO2 sw due to change in equil pump pressure
6/4/2008 6:16	xCO2_SW	368.0644664	3	likely bad CO2 sw due to change in equil pump pressure
6/4/2008 9:16	xCO2_SW	372.7451427	3	likely bad CO2 sw due to change in equil pump pressure
6/4/2008 12:16	xCO2_Air	391.5166404	3	CO2 data submitted was adjusted by + 5 ppm b/c span calibration was off as predicted by change in Licor temperature
6/4/2008 12:16	xCO2_SW	346.2814771	3	CO2 data submitted was adjusted by + 5 ppm b/c span calibration was off as predicted by change in Licor temperature
7/3/2008 12:16	xCO2_Air	380.3515155	3	CO2 data submitted was adjusted by + 3 ppm b/c span calibration was off as predicted by change in Licor temperature
7/3/2008 12:16	xCO2_SW	380.8582991	3	CO2 data submitted was adjusted by + 3 ppm b/c span calibration was off as predicted by change in Licor temperature